Luxaflex® Box Awnings

Formosa Max







The Luxaflex® Formosa Max impresses with its elegant appearance and modern design. One set of arms is sufficient to shade an area of 600 x 400 cm.

An additional advantage of Formosa Max is the possibility of using modern LED lighting, in the arms and on the front rail which makes your terrace even more attractive and practical all year round.







Luxaflex[®] Box Awnings

Formosa Max



Type: Standard Arm

Maximum width: 600 cm x 400 cm

Control:


230v electric - IO or RTS motors



Wall mounting

75 IL

Ceiling mounting







Standard arm

Arm with LED lights


reach cm	200	250	300	350	400		
arms →	2	2	2	2	2		
minimum width cm	239	289	339	389	439		

Available in 6 colours:











RAL 9001 RAL 9010

RAL 9016

RAL 7S16 Surcharge: + 6% Tiger 29/80081 Surcharge: + 6%

Surcharge: + 6%

Notes page



•••••

Order form box awnings FORMOSA MAX

DATE	DATE: REFERENCE: ACCOU			ACCOL	INT NO:								ixa		
COMPANY: CONTACT NAME: DELIVERY ADDRESS:					Wall mounting Mounting			g profiles Extended fixing 50 cm							
			Pŀ	IONE:			Ceiling n	mounting	stand	g g g g g g g g g g g g g g g g g g g	Optional no	extra fixing pre-dril	ng bracket led		
				Dickson Orch	Orchestra	LEC	Lighting		Type of control		Val	ance		Extra optic	
No	Width	Projection	Projection qty		Fabric Stitched / Bonded		arms and front rail		motor Std IO or RTS	Control s	side ** 28 cm	25 cm	Wall Mount Standard	Mounting Ceiling Mount (Option)	Extended fixing bracket 50 cm
1															
2															
3															
4															
5															
* Star	dard stitched	** Operation	side from outs	side											
Color	S: (Colour closest	to RAL)					_								
	RAL 9001 Cream	RAL 901 Pure wh		RAL 9016 Traffic white	9	RAL 7S16 Anthracite Surchages: + 6%	Iro	ger 29/8008 on Glimmer urchages: +	1	RAL 9S07 Grey alumi Surchages		Other Surch	RAL large - see pric	e list	
Remo	te control				Sensors										
														e-mail: shutte	ers.awnings@
Notes	1												_	telephone: 01	_