



The Art of Window Styling

luxaflex.co.uk

Awnings & Outdoor Living

Luxaflex® Awnings offer the best in open-plan outdoor living. We offer solutions for small terraces to large outdoor entertaining areas. Luxaflex® Outdoor Awnings represents the latest in design and functionality, all made with high quality materials and smooth operating systems.



Awnings

Our awnings collection will help you create an oasis of calm that suits you and your family to make your garden feel like an extension of your home.

There's nothing to stop you having a full Sunday dinner on your patio, elevenses by the pool or breakfast on the veranda! Our incredible range of exclusive Awnings mean you can experience alfresco dining in shade, shelter and comfort.



Outdoor Living

Live your life to the full while enjoying fresh air and the sun.

Whether it is a garden or a terrace a Luxaflex® pergola canopy with an innovative and refined design is the perfect solution to transform your exterior space into pleasant protected spaces that can be appreciated at any time.



Fabrics

Our Awnings will complement your designs with a stunning range of bold stripes, jacquards and plains to add instant exterior style. In addition to keeping you covered, whatever the weather, our exclusive fabric technology means there will be no colour fade or rot.



Lights & Heating


Extend your day well into the evening with some soft lighting, which can be added either as spotlights in the arms or as an integrated lightbox. Other choices include a cosy heating system for those chillier evenings and a music system for when you want to dance the night away!



Motorisation

From a simple manual control to the most sophisticated electronic motorised designs that would fit perfectly into any smart home, you're in charge when it comes to selecting what will suit you and your family best.





Base Plus


Fully Cassetted

The Base Plus is a fully cassetted system with the arms and cover fully enclosed in a cassette box, for maximum weather protection, when the awning is retracted. It is suitable for both residential and smaller commercial installations. The arms feature a durable chain link for extra strength.

The Base Plus is the last word in simplicity when it comes to installation and adjustment making it one of the best selling awnings today. The awning simply hooks onto two face or top fixed installation plates prior to being secured with retaining bolts. Front rail adjustment is a simple raise and lock off process.



Base Plus Technical Information



		1
		2



COLOURS RAL







Minimum awning encumbrances - 1 pair arms


cm	
	2 Brackets
160	191
185	216
210	241
235	266
260	291
310	341

N.B. Fabric welded as standard (except Liberty, Panama, and waterproof fabrics)


LED ARMS



Wall covering diagram



Ceiling covering diagram





Base Lite

Fully Cassetted

Easy to install and even easier to use, our bestselling Awning sits neatly in a sleek and stylish cassette when closed but when retracted offers the perfect weather protection.


This is the little sister of the Base Plus, with the same end fixing fully cassetted system. With the same simple installation, Base Lite is perfect for shading a more compact outdoor area while still extending your home.

The size of the Base Lite makes it ideal for most occasions without encroaching on your garden space. This model can span up to 4m in width and project up to 2.6m (arm length).




Base Lite Technical Information

450	260	2



COLOURS RAL



Standard
9010 WHITE


Minimum awning
encumbrances - 1 pair arms

cm	
	2 Brackets
160	187
185	210
210	236
235	260
260	286


N.B. Fabric welded as standard
(except Liberty, Panama,
and waterproof fabrics)

LED ARMS


Wall installation




Wall installation 75°




Ceiling installation 15°




Ceiling installation 90°



Wall covering diagram



Ceiling covering diagram





Armony Plus

Fully Cassetted


Armony Plus is a fully cassetted folding arm awning.

Design and style added to the function and technology of a tipping system that allows the complete closure of the box even at the maximum inclination. In addition the cassette box will be positioned tightly to the wall and will avoid water and impurities penetration to affect the arms and fabric when retracted.


Due to its impressive construction the Armony Plus can accommodate widths of 12 metres and project 3.6 metres, making it the perfect awning for large terraces, whether on a large house or in a commercial setting..



Armony Plus Technical Information




COLOURS RAL




Standard
9010 WHITE


(foot-inch /cm)	Minimum awning width					
	5'3" 160	6'11" 210	8'6" 260	10'2" 310	11'9" 360	13'1" 400
	6'11" 212	8'7" 262	10'2" 312	12'3" 374	13'11" 424	15'7" 474



Covering diagram - Wall/ceiling installation



Wall installation



Ceiling installation

Zenith



Fully Cassetted



Relax under the shade of Astra Zenith in the height of summer, knowing you can keep several degrees cooler under the Awning. However at night time you may find the temperature is actually higher underneath the Awning as heat is trapped under the covered area.

The Zenith retractable Awning features a full closing box on a squared bar, with tipping brackets that close the bottom bar even with the Awning fully extended.


A retractable side awning, both wall and ceiling installation available. It is equipped with a PVC fabric protection cover.

Perfect for wide coverings .


Astra Zenith Technical Information



Wall covering diagram




COLOURS RAL




- Arms
- ▶ Convoyer
- Square bar bracket

cm	↔										
↻		400	500	600	700	800	900	1000	1100	1200	
160	■	2	2	2	4	4	4	4	4	6	
	▶	3	3	3	4	4	5	5	6	6	
	■	5	5	6	8	8	8	11	11	12	
185	■	2	2	2	4	4	4	4	4	6	
	▶	3	3	3	4	4	5	5	6	6	
	■	5	5	6	8	8	8	11	11	12	
210	■	2	2	2	4	4	4	4	4	6	
	▶	3	3	3	4	4	5	5	6	6	
	■	5	5	6	8	8	8	11	11	12	
235	■	2	2	2	4	4	4	4	4	6	
	▶	3	3	3	4	4	5	5	6	6	
	■	5	5	6	8	8	8	11	11	12	
260	■	2	2	2	4	4	4	4	6	6	
	▶	3	3	3	4	4	5	5	6	6	
	■	5	5	6	8	8	8	11	11	12	
310	■	2	2	2	3	4	4	4	4	6	
	▶	3	3	3	4	4	5	5	6	6	
	■	5	5	6	8	8	8	11	11	12	
360	■	-	2	2	3	3	4	4	4	4	
	▶	-	3	3	4	4	5	5	6	6	
	■	-	5	6	8	8	8	11	11	12	
410	■	-	2	2	2	3	3	4	4	4	
	▶	-	3	3	4	4	5	5	6	6	
	■	-	5	6	6	8	8	11	11	12	
435	■	-	-	2	2	3	3	3	4	4	
	▶	-	-	3	4	4	5	5	6	6	
	■	-	-	6	7	8	8	8	11	12	



Ceiling covering diagram



Minimum awning encumbrances -1 pair arms

cm	↻	↔
160	■	222
185	■	247
210	■	272
235	■	297
260	■	322
310	■	372
360	■	431
STANDARD GIANT 410	■	481
435	■	506

Quibica Lite



Fully Cassetted

The Qubica Light is an especially innovative folding arms awning with cassette and lateral brackets.


The modern design is characterised by the simplicity and pureness of its lines and from the hardware and fixing being elements totally hidden away.

The installation can be on wall or ceiling and it is extremely simple The awning element can be customised with several colour combination, so you can realise a unique piece of furnishing on façades tone on tone or two-colours, becoming unique in its kind.

Highly customisable thanks to different possibilities of colour matching and optional AKI LED arms.

Quibica Lite Technical Information

Quibica Lite




600	360	2



Minimum awning encumbrances - 1 pair arms

cm	
	2 Brackets
160	196
185	221
210	246
235	271
260	296
310	346
360	396

COLOURS RAL




COLOUR COMBINATIONS


	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10BA	C11	C12	C13	C14	C15	C16
	9010	9010	9010	9010	9006	9006	9006	9006	CARBON	CARBON	CARBON	CARBON	CORTEN	CORTEN	CORTEN	CORTEN
	9010	9006	CARBON	CORTEN	9006	9010	CARBON	CORTEN	CARBON	9010	9006	CORTEN	CORTEN	9010	9006	CARBON

N.B. Fabric welded as standard (except Liberty, Panama, and waterproof fabrics)

Ceiling covering diagram



Wall covering diagram



Quibica Plumb



Fully Cassetted


Qubica Plumb is a cassette arm awning born from an idea of famous industrial designer Robby Cantarutti.

It has the advantage of integrating seamlessly into the pre-existing architecture, being an element with minimum impact – elegant and compact even when closed.

Its square cassette blends perfectly with your home' architectural lines and, at the same time, it protects the fabric from wearing and bad weather.

Highly customisable, it is possible to choose between 4 different colours and combine them in order to reach 16 configurations and optional AKI LED arms

Quibica Plumb Technical Information




2	



LED ARMS

COLOURS RAL



COLOUR COMBINATIONS

	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10BA	C11	C12	C13	C14	C15	C16
	9010	9010	9010	9010	9006	9006	9006	9006	CARBON	CARBON	CARBON	CARBON	CORTEN	CORTEN	CORTEN	CORTEN
	9010	9006	CARBON	CORTEN	9006	9010	CARBON	CORTEN	CARBON	9010	9006	CORTEN	CORTEN	9010	9006	CARBON

- Arms
- ▶ Kit conveyer
- Arm support - wall or ceiling bracket


cm		400	500	600	700	800	900	1000	1100	1200
160	■	2	2	2	4	4	4	4	6	6
	▶	2	3	3	5	5	5	5	7	7
	■	2	2	2	4	4	4	4	6	6
185	■	2	2	2	4	4	4	4	6	6
	▶	2	2	2	5	5	5	5	7	7
	■	2	3	3	4	4	4	4	6	6
210	■	2	2	2	4	4	4	4	6	6
	▶	2	2	2	5	5	5	5	7	7
	■	2	3	3	4	4	4	4	6	6
235	■	2	2	2	4	4	4	4	6	6
	▶	2	3	3	5	5	5	5	7	7
	■	2	2	2	4	4	4	4	6	6
260	■	2	2	2	3	4	4	4	6	6
	▶	2	3	3	4	5	5	5	7	7
	■	2	2	2	3	4	4	4	6	6
310	■	2	2	2	3	3	4	4	5	5
	▶	3	3	3	4	4	5	5	6	6
	■	2	2	2	3	3	4	4	5	5
360	■	-	2	2	2	3	3	4	4	5
	▶	-	3	3	3	4	4	5	5	6
	■	-	2	2	2	3	3	4	4	5
410	■	-	2	2	2	3	3	3	4	4
	▶	-	3	3	3	4	4	4	5	5
	■	-	2	2	2	3	3	3	4	4
435	■	-	2	2	2	2/3	3	3	4	4
	▶	-	3	3	3	3/4	4	4	5	5
	■	-	2	2	2	2/3	3	3	4	4

Minimum awning encumbrances - 1 pair arms


cm		
BALTEUS ARM	160	221
	185	146
	210	271
	235	296
	260	321
STANDARD BALTEUS GIANT	310	371
	360	423
	435	498

N.B. Fabric welded as standard (except Liberty, Panama, and waterproof fabrics)
Available only motorised

Wall covering diagram



Wall installation



Quibica Flat




Fully Cassetted

The Quibica Flat can be personalised in so many ways to suit your home, and with an astounding array of colours available it becomes a beautifully decorative product. In addition, all fixings and screws are completely hidden which further enhances the Quibica elegance.

Quibica Flat is the ideal solution to enjoy your outdoor spaces even during the evening and night. Combining the best of design and functionality, you can transform your outdoor space. Start planning your dream living now.

Available with optional AKI LED arms.

Quibica Flat Technical Information



COLOURS RAL



COLOUR COMBINATIONS

	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10BA	C11	C12	C13	C14	C15	C16
	9010	9010	9010	9010	9006	9006	9006	9006	CARBON	CARBON	CARBON	CARBON	CORTEN	CORTEN	CORTEN	CORTEN
	9010	9006	CARBON	CORTEN	9006	9010	CARBON	CORTEN	CARBON	9010	9006	CORTEN	CORTEN	9010	9006	CARBON

Minimum awning encumbrances - 1 pair arms



- Arms
- ▶ Kit conveyer
- Arm support - wall or ceiling bracket

cm	↔	cm	↔	400	500	600	700	800	900	1000	1100	1200
↙	2 Brackets	↙										
160	220	160	▶	2	2	2	4	4	4	4	6	6
			■	2	3	3	5	5	5	5	7	7
			■	2	2	2	4	4	4	4	6	6
185	245	185	▶	2	2	2	4	4	4	4	6	6
			■	2	3	3	5	5	5	5	7	7
			■	2	2	2	4	4	4	4	6	6
210	270	210	▶	2	2	2	4	4	4	4	6	6
			■	2	3	3	5	5	5	5	7	7
			■	2	2	2	4	4	4	4	6	6
235	295	235	▶	2	2	2	4	4	4	4	6	6
			■	2	3	3	5	5	5	5	7	7
			■	2	2	2	4	4	4	4	6	6
260	320	260	▶	2	2	2	3	4	4	4	6	6
			■	2	3	3	4	5	5	5	7	7
			■	2	2	2	3	4	4	4	6	6
310	379	310	▶	2	2	2	3	3	4	4	5	5
			■	3	3	3	4	4	5	5	6	6
			■	2	2	2	3	3	4	4	5	5
360	428	360	▶	-	2	2	2	3	3	4	4	5
			■	-	3	3	4	4	4	5	5	6
			■	-	2	2	2	3	3	4	4	5

N.B. Fabric welded as standard (except Liberty, Panama, and waterproof fabrics)

LED ARMS

Ceiling covering diagram



Treviso B14



Semi-cassette

A clean and crisp designed semi-cassette folding arm awning with square bar ideal for both wall and ceiling installation.


A folding arm awning on a 40mm zinc and painted steel square bar with half cassette and double covered cables or stainless chain arms. This model includes a patented tipping system which allows to adjust the awning's inclination without acting on the cassette itself.

Also featuring a patented folding system to avoid wrinkles, this traditional awning is easy to install.


Treviso B14 Technical Information

PVC Fabric protection for the whole awning width

1200	360
2	




Tipping system




40x40 mm



Wall covering diagram



COLOURS RAL



Standard
9010 WHITE

Minimum awning encumbrances - 1 pair arms


■ Arms
■ Wall-ceiling bracket

cm	↔
↙	2 Brackets
160	210
185	235
210	260
235	285
260	310
310	360
360	410

cm	↔	400	500	600	700	800	900	1000	1100	1200
160	■	2	2	2	4	4	4	4	4	6
	■	3	3	4	4	5	5	6	7	8
185	■	2	2	2	4	4	4	4	4	6
	■	3	3	4	4	5	5	6	7	8
210	■	2	2	2	4	4	4	4	4	6
	■	3	3	4	4	5	5	6	7	8
235	■	2	2	2	4	4	4	4	4	6
	■	3	3	4	4	5	5	6	7	8
260	■	2	2	2	4	4	4	4	4	6
	■	3	4	4	4	5	5	6	7	8
310	■	2	2	2	3	4	4	4	4	6
	■	3	4	6	6	7	7	8	8	9
360	■	-	2	2	3	3	4	4	4	6
	■	-	4	6	6	7	7	8	8	9

N.B. Fabric welded as standard (except Liberty, Panama, and waterproof fabrics)

LED ARMS



Venezia Gold B20



Semi-cassette

Folding arm awning on a 40mm zinc and painted steel square bar with covered double cable or stainless chain arms and arm support with conus-shaped adjustment.

Appealing design thanks to its Gold support this model also featuring a patented folding system to avoid wrinkles.

Venezia Gold B20 Technical Information



1200	360
1200	260



COLOURS RAL



Minimum awning encumbrances 1 arm



cm	
	2 Brackets
160	206
185	230
210	256
235	280
260	306
310	356
360	406

N.B. Fabric welded as standard (except Liberty, Panama, and waterproof fabrics)

- Arms
- Wall-ceiling bracket
- ▶ Balance support
- Hood support

cm		400	500	600	700	800	900	1000	1100	1200
160	■	2	2	2	4	4	4	4	4	6
	▶	3	3	4	4	5	5	6	7	8
	●	-	-	1	1	1	1	2	2	2
185	■	2	2	2	4	4	4	4	4	6
	▶	3	3	4	4	5	5	6	7	8
	●	-	-	1	1	1	1	2	2	2
210	■	2	2	2	4	4	4	4	4	6
	▶	3	3	4	4	5	5	6	7	8
	●	-	-	1	1	1	1	2	2	2
235	■	2	2	2	4	4	4	4	4	6
	▶	3	3	4	4	5	5	6	7	8
	●	-	-	1	1	1	1	2	2	2
260	■	2	2	2	4	4	4	4	4	6
	▶	3	4	4	4	5	5	6	7	8
	●	-	-	1	1	1	1	2	2	2
310	■	2	2	2	3	4	4	4	4	6
	▶	3	4	6	6	7	7	8	8	9
	●	-	1	1	1	1	1	2	2	2
360	■	-	2	2	3	3	4	4	4	6
	▶	-	4	6	6	7	7	8	8	9
	●	-	1	1	1	1	1	2	2	2

Wall covering diagram



LED ARMS

Futura B17




Fully Cassetted

Full cassette folding arm awning with 50 x 50 mm square bar. Its design and materials' quality make it perfect for covering public and private large areas.



Innovative solution for covering medium and large terraces.

It's dimensions guarantee protection from sun and summer storms with excellent design and quality.


Futura B17 Technical Information




1200	485
1200	360



COLOURS RAL




Standard
9010 WHITE



cm		cm								
			500	600	700	800	900	1000	1100	1200
160		2 Brackets	2	2	3	3	3	4	4	4
			5	6	7	7	8	10	10	10
			1	1	1	1	1	2	2	2
185		2 Brackets	5	6	7	7	8	10	10	10
			2	2	2	3	3	4	4	4
			5	6	6	7	8	10	10	10
210		2 Brackets	1	1	1	1	1	2	2	2
			5	6	6	7	8	10	10	10
			2	2	2	3	3	4	4	4
235		2 Brackets	-	6	6	7	8	10	12	12
			-	1	1	1	1	2	2	2
			-	6	6	7	8	10	12	12
260		2 Brackets	-	6	6	7	9	10	12	12
			-	1	1	1	1	2	2	2
			-	6	6	7	9	10	12	12
310		2 Brackets	-	6	6	7	9	10	12	12
			-	1	1	1	1	2	2	2
			-	6	6	7	9	10	12	12
360		2 Brackets	-	2	2	3	3	3	4	4
			-	6	8	8	9	10	12	12
			-	1	1	1	1	2	2	2
428		2 Brackets	-	6	8	8	9	10	12	12
			-	1	1	1	1	2	2	2
			-	6	8	8	9	10	12	12

N.B. Fabric welded as standard (except Liberty, Panama, and waterproof fabrics)




Unica BQ



Semi cassetted

Compact arm awning with square bar and regulation system. It can be integrated with Heron arm.


Unica BQ Technical Information



Unica BQ



COLOURS RAL



Minimum awning encumbrances - 1 pair arms

cm	↔
	2 BRACCI
160	193
185	218
210	240
235	267
260	293
310	343


Minimum dimensions with crossed arm kit

cm	↔
	2 BRACCI
160	131
185	143
210	156
235	168
260	181
310	204


- Arms
- Wall-ceiling bracket
- ▶ Balance support
- Hood support

cm	↔	400	500	600	700	800
160	■	2	2	2	4	4
	▶	3	3	4	4	6
	●	-	-	1	1	1
185	■	2	2	2	4	4
	▶	3	3	4	4	6
	●	-	-	1	1	1
210	■	2	2	2	4	4
	▶	3	3	4	4	4
	●	-	-	1	1	1
235	■	2	2	2	-	-
	▶	3	3	4	-	-
	●	-	-	1	-	-
260	■	2	2	2	-	-
	▶	3	4	4	-	-
	●	-	-	1	-	-
		3	4	4	-	-

Wall covering diagram



Wall installation



Italia Slim



Drop arm

Vintage lines for historical architectures and essential design for the more contemporary ones. Comfort for every aesthetic needs: residential and commercial applications.

The Italia Slim is a Drop arm awning with or without cassette. Their small dimensions allow the installation in multiple areas.

Also featuring a patented folding system to avoid wrinkles,

Our Powder coating - Quality and sustainability: our powder coating system guarantees the improvement of the quality characteristics of the product, minimizing the risk of environmental pollution.


Italia Slim Technical Information




400	220	3
160		




COLOURS RAL



Standard
9010 WHITE



9006
ALUMINIUM







Fabrics

The Luxaflex® Awnings collection features an extensive choice of fabrics, all designed to block glare, reduce heat and provide protection from UV rays.



Graphic Design selection




Colour Design selection



Essential



Graphite Flammé ORC 7132 129
Perle Flammé ORC 7972 129
Craft Grey ORC D328 120
Argent ORC 7552 120
Galet Grey OPE J062 120
BS Gris ORC 8907 120



Pierre ORC 6196 120
Souris Chiné ORC 8396 120
Manosque Grey ORC D309 120
Naples Light Grey ORC D304 120
Gris ORC 6088 120
Hardelot Grey ORC D312 120




Manosque Dark Grey ORC D108 120
Ardoise ORC 8203 120
Sienne Dark Grey ORC 8931 120
BS Ardoise ORC 8922 120
Flanelle Chiné ORC U104 120
Naples Dark Grey ORC D308 120



Noir ORC 6028 120
Craft Dark Grey ORC D325 120
BS Noir ORC 8919 120
Basalte Chiné ORC U095 120
Macadam Tweed ORC U373 120
Charcoal Tweed ORC 7330 120



Naples Grey ORC D113 120
Color Bloc Black ORC D330 120
Carbone ORC U171 120
BS Argile ORC C030 120
Naples Linen ORC D307 120
Nuages Flammé ORC 6319 120



Grège ORC 6020 120
Argile ORC U387 120
Ecrú ORC 0001 120
Naples Hemp ORC D306 120
Naples Heather ORC D305 120
Lin Chiné ORC 8904 120




Sienne Wheat ORC 8210 120
Albatre Tweed ORC U136 120
Sienne Yellow ORC D303 120
Champagne ORC 0806 120
Vanille ORC 6610 120
Ivoire ORC 7548 120



Manosque Yellow ORC D107 120
Multico Flammé ORC 7131 120
Hardelot Yellow ORC 8612 120
Marseille Flammé ORC 8854 120
Jaune ORC 6316 120
Citron ORC 7703 120



BS Jaune ORC 8553 120
Paille ORC 7560 120
Mandarine ORC 0867 120
Orange ORC 0018 120
Chicago Yellow ORC 7467 120
Safran ORC 8777 120



Manosque Beige ORC D103 120
Naturel ORC 7133 120
Sienne Beige ORC D100 120
Hardelot Beige ORC 8935 120
BS Bruyère ORC 8921 120
Dune ORC 0681 120



Chicago Beige ORC D311 120
Beige ORC 8902 120
Boston Brown ORC D318 120
Chanvre ORC 8200 120
Toast ORC 8891 120
Cacao ORC 8776 120



Taupe ORC 7559 120
Bruyère Chiné ORC 8779 120
Rome Brown ORC D315 120
Marron ORC 0613 120
Color Bloc Brown ORC D334 120
Chaume Piqué ORC U235 120



Brownie ORC U224 120
Chocolat ORC U083 120



Sable ORC 0034 120
Blé ORC 6318 120
Châtaigne ORC 8207 120
Rouge ORC 3914 120
BS Rouge ORC 8557 120
Cerise ORC 6435 120




Vermillon ORC 0020 120
Sienne Red ORC 8211 120
Boston Red ORC D317 120
Papaye ORC 8205 120
Bordeaux ORC 8206 120
Manosque Purple ORC D105 120



Cassis ORC 7554 120
Mauve ORC 8601 120
Pink ORC U170 120
Rome Red ORC D313 120
Manosque Blue ORC D337 120
Méditerranée ORC 8202 120

Essential




Saphir ORC 6720 120 Chardon ORC 8778 120 Boston Grey ORC D316 120 Bleuét ORC 8204 120 Turquoise ORC 6688 120 Hadelot Blue ORC D338 120




Siennie Blue ORC 7109 120 Azur ORC U388 120 BS Azur ORC C031 120 Bleu ORC 0017 120 Océan ORC 7264 120 Rome Blue ORC D339 120




Bleu Nuit ORC 8238 120 Marine ORC 6022 120 BS Bleu ORC 8910 120 BS Marine ORC 8556 120 Chicago Blue ORC 7466 120 BS Canard Chiné ORC C033 120



Canard Chiné ORC U320 120 BS Forêt-Ecru ORC 8402 120 BS Forêt-Naturel ORC 8555 120 Forêt ORC 6687 120 Vert ORC 0003 120 Emeraude ORC 7297 120




Siennie Green ORC D302 120 Fougère ORC 8201 120 Rome Green ORC D314 120 Olive ORC 0853 120 Chicago Green ORC D310 120 Manosque Green ORC D104 120




Boston Green ORC 8630 120 Réséda ORC 6023 120 Amande ORC 7244 120 Hadelot Green ORC 8614 120 Granny Chiné ORC U321 120 Menthe ORC 7557 120




ORCHESTRA MAX



Ecrú MAX 0001 120 Marbre Piqué MAX U409 120 Gris MAX 6088 120 Pierre MAX 6196 120 Souris Chiné MAX 8396 120 Flanelle Chiné MAX U104 120



Naples Grey MAX D113 120 Naples Dark Grey MAX D308 120 Siennie Dark Grey MAX 8931 120 Ardoise MAX 8203 120 Carbone MAX U171 120 Noir MAX 6028 120



Argile MAX U387 120 Grège MAX 6020 120 Naturel MAX 7133 120 Ivoire MAX 7548 120 Taupe MAX 7559 120 Bruyère Chiné MAX 8779 120



Toast MAX 8891 120 Dune MAX 0681 120 Naples Linen MAX D307 120 Brownie MAX U224 120 Mais Piqué MAX U415 120 Bordeaux MAX 8206 120



Rouge MAX 3914 120 Potiron Piqué MAX U413 120 Siennie Red MAX 8211 120 Lichen Piqué MAX U416 120 Forêt MAX 6687 120 Océan MAX 7264 120





Gennius

Pergolas

Whether it is a garden or a terrace, a poolside or a park, an aluminium pergola will help you design a new way of living outdoors in a personalised way and following the trends of contemporary architecture. KE pergolas and pergola covers – born from an ambitious path of research and technical and stylistic development – create new outdoor spaces with maximum privacy and transform every moment of outdoor living into one of relaxation and style

Kedry



Louvered pergola

Kedry Skylife, the new louvered pergola with retractable folding blade roof.

Adjusts the intensity of light and ventilation, according to the weather conditions.

Impeccable aesthetics are combined with high wind resistance and shelter in case of rain.

Can be closed on the sides with the new Line Glass sliding windows on tracks and with Vertika Prime vertical rollers.


No seasonality.

During the winter it reduces heat loss, in the summer season it minimizes the impact of sunlight and decreases the overheating of the rooms, limiting the use of air conditioners.





Change your perspective with Kedry Skylife

Kedry Technical Information


General technical plan (mm)




General technical plan (mm)




Freestanding single module.
Blades perpendicular to wall




Wall mounted single module.
Blades parallel to wall



Freestanding double module.
Blades perpendicular to wall



Wall mounted double module.
Blades perpendicular to wall



Wall mounted double module.
Blades parallel to wall

Hydra



Folding pergola

Hydra is a pergola awning, with wrapped fabric and zip, which stands out for its essential lines and minimal design. Designed to be combined with pre-existing structures thanks to a perfectly finished wall attachment.

With no visible fixings, it is the ideal protection to enjoy your outdoors in style, at any time of the year!

The latest addition to the GENNIUS pergola awnings family, HYDRA stands out for its versatility. Available in different configurations, in the roof-only version, the wrapped fabric is completely enclosed within a box of new technical conception, which emphasizes its minimal aesthetics.

The integrated lighting on the guides and on the box completes the product, making the pergola usable even during the evening hours. Furthermore, it can be connected to a smartphone or other home automation devices for simplified product management.

Hydra Technical Information


Hydra

max 1200 cm


max 500 cm




1 Module (mm)




General technical plan (mm)






2 Modules (mm)



Guides inter axis width (mm)



Profiles dimensions (mm)



Guide

Terminal bar

Blind Roller



